

Ultrafine Particle
Measurement
Characterisation and
Monitoring

Greg Evans and Jon Wang C-H Jeong, N. Hilker, K Shairsingh

Workshop on Ultrafine Particle Emissions from Transportation Sept, 2019





Overview



- Monitoring ultrafine particles can help characterise vehicle emissions
- UFP concentrations vary over space and time
- Parameters influence emissions and concentrations










Canadians Live Near Major Roads



1/3rd of all Canadians

40% of Vancouver residents

50% of Toronto residents






Vancouver: Near Road (NR) and Background (BG) Sites



Clark Drive Near-Road Site (NR-VAN)

Sunny Hill Background Site (BG-VAN)







Toronto: Near Road (NR) Sites

Highway 401 Near-Road Site (NR-TOR-1)

College Street Near-Road Site (NR-TOR-2)







SOCAAR: Toronto: Background (BG) Site Locations

Toronto North Background Site (BG-TOR-N)

Toronto South Background Site (BG-TOR-S)






SOCAAR

A Key Marker For Traffic Emissions








Traffic Dominates Near Roads








Traffic Dominates Near Roads




Highway 401 (NR-TOR-1)



SOCAAR

Concentrations Vary Across the City








Concentrations Change Over Time College Street









Similar Pattern for Elemental Carbon



College Street




Emitted as Many Individual Vehicle Plumes College Street



Time related pattern: rapid vs slow variations

Emitted as Many Individual Vehicle Plumes College Street




Time related pattern: local vs regional signal










"Work done by vehicle", carbon combustion products






Fleet Make-Up Define Particle Emissions








Volatility Increases Particle Emissions College Street













Summary



- Canadians Live Near Major Roads
- Vehicles are the major source of UFP near roads
- UFP concentrations vary over space and time
- Fleet makeup influences emissions
- Seasonal difference arise due to particle volatility
- Emissions are higher in winter and midday





